

1

Figure 1




Figure 2A





Figure 2B



Microspheres were made by solvent evaporation method using methylene chloride as solvent.

Figure 3

Weight loss of polyphosphoester discs in PBS (0.1 M, pH 7.4) at 37 $^{\circ}\text{C}$




Figure 4A

Changes in Mw of polyphosphoester discs in PBS (0.1 M, pH 7.4) at 37°C




Figure 4B

Change in Mw of P(LAEG)s after one month storage at room temperature in air




Figure 5

NMR Spectra of P(LAEG-EOP)




Figure 6




Figure 7

Shelf Stability (Room Temperature)




Figure 8

Cytotoxicity: P(LAEG-EOP) Microspheres





Figure 9

In Vitro Degradation






Figure 10A

Figure 190

In Vivo Degradation




Figure 11A

Figure 11B

Biocompatibility: Histopathological Analysis

Inflammatory Response at the Site of Implantation (i.m.)

Polymer	3 D	7 D	14 D	1 M	2 M	4 M
P(LAEG-EOP)	SI (130)	SI (123)	SI (180)	SI (198)	SI (106)	SI (99)
PLGA(RG755)	SI (148)	SI (98)	SI (137)	SI (105)	SI (94)	SI (43)
Score:	No Irritation (0)	Slight n Irritatio (0-200)	Mild n Irritatio (200-400		n Irritatio	on

Figure 12

Release of FITC-BSA from the Microspheres Effect of Fabrication Method




Figure 13

Release of Lidocaine and Cisplatin from P(LAEG-EOP) Microspheres




Figure 14

P(LAEG-EOP) Microspheres Containing FITC-BSA




Figure 15




Figure 16




Figure 17